



© *Kamla-Raj* 2004
PRINT: ISSN 0972-3757 ONLINE: 2456-6360

Int J Hum Genet, 4(1): 65-69 (2004)
DOI: 10.31901/24566330.2004/04.01.10

**Cytogenetic Analysis of Radiotherapeutic and Diagnostic
Workers Occupationally Exposed to Radiations**

**P. K. Gadhia, Nehal Shah, Sweta Nahata, Swati Patel, Krupa Patel,
Meonis Pithawala and Dipesh Tamakuwala**

Department of Biosciences, South Gujarat University, Surat 395 007, Gujarat, India

KEYWORDS Radiation workers; human chromosomes; CAs; SCE; micronuclei

ABSTRACT The study group comprised of 12 occupationally exposed “radiotherapeutic and diagnostic workers”, working since last 12 years on an average (service duration 3 to 20 years), with 12 age and sex-matched controls not exposed to any kind of radiation and belonging to same socio-economic status as the radiation workers. Cytogenetic end points studied were CAs (Chromosomal aberrations), SCE (Sister chromatid exchange) and MN (Micronuclei). Hematological parameters were also studied. In addition, co-mutagenic/synergistic *in vitro* effects of known mutagen Mitomycin-C (MMC) on lymphocytes of these workers were evaluated. Results revealed a significant increase in dicentric ($P < 0.05$) as well as MN ($P < 0.01$) among radiation exposed workers when compared to controls. By contrast, no change in SCE frequencies and hematological parameters were observed. After *in vitro* MMC treatment CA (mainly dicentric and ring) increased significantly in lymphocytes of radiation exposed workers. Based on these observations, a preliminary indication of the study could be that long term low level radiation exposure may probably damage the genetic constitution of an individual.