

Index

A

Abdominal fat mass, 4
Abdominal obesity, 91, 103, 106, 112, 113
Acculturation, 30
Accumulation of body fat, 32
Adaptation, 17, 18, 43, 48
Adaptive radiation, 17
Adipocyte, 1, 2, 17, 32, 78, 111
Adiposity, 2, 3, 62, 88
Adolescence childhood obesity, 45
Adolescence, 11
Adolescent growth spurt, 56
Adolescent obesity, 1
African populations, 18
Afro-Caribbeans, 31
Agricultural environments, 20
Agriculture, 19
Animal Kingdom, 20
Anthropometry, 78
Anthropometric assessment, 5
Anthropometric measurements, 43
Anthropometric status, 111
Arid environments, 17
Asia-Pacific region, 6
Autonomic nervous system, 62

B

Behavioral factors, 5
Beta cell dysfunction, 31
Bhatia community, 101
Bioelectrical impedance analysis, 78
Biological markers, 6
Biological plasticity, 43
Birth environment, 46
Birthweight, 55
Blood pressure, 53, 69, 101, 102, 111, 118
Body composition, 19, 115
Body fat distribution, 5, 77
Body fat, 61
Body fatness, 3
Body mass index, 3, 4, 23, 44, 78, 85, 99, 111, 113
Body mass, 61
Body-weight, 111
Breastfeeding, 118
Brown adipose tissue, 1

C

Caloric intake, 6
Cancer, 5, 11, 43, 113, 118
Carbohydrates, 115
Carbonated drinks, 93
Cardiovascular disease, 29, 31, 43, 46, 77, 113, 97, 118
Cardiovascular mortality, 118
Cardiovascular regulation, 2
Cardiovascular risk factor, 101, 102, 107
Central fat accumulation, 30
Central fat distribution, 29
Central obesity, 2
Centrally planned economies, 54

Changing food habits, 61
Childhood obesity, 11, 53
Childhood, 45
Chinese, 3
Cholesterol, 97, 101, 102, 111
Chronic diseases, 2, 97
Chronic non-communicable diseases, 113
Chronic undernutrition, 47
Communicable chronic diseases, 43
Communicable diseases, 92
Coronary heart diseases, 5, 11, 46, 48, 97, 99, 101
Coronary risk factors, 101, 106, 107
Cuban population, 115

D

Degree of modernization, 26
Developed countries, 1, 45
Development of obesity, 29
Developing countries, 67, 77, 111
Developing world, 1
Diabetes management, 34
Diabetes mellitus, 5, 43, 77, 113
Diabetes, 29, 30, 31, 46, 97, 101, 102, 106, 107
Diarrhoea, 45
Diet composition, 29, 31
Diet, 11
Dietary changes, 31
Dietary factors, 1
Dietary guidelines, 6
Dietary habits, 30
Dietary intake, 19
Dietary patterns, 115
Dietary-change, 23
Differential mortality, 85
Disability, 29
Disability-adjusted years of life, 91
Diseases, 91
Dyslipidaemia, 4

E

Ecological stresses, 19
Economic development, 43
Economic modernization, 27
Economically developed countries, 54
Educational status, 67
Efficiency of medical intervention, 85
Encephalisation, 19
Endocrine organ, 2
Endometrial cancer, 6
Energy balance equation, 53
Energy balance, 85
Energy expenditure, 2, 7, 62
Energy homeostasis, 2
Energy intake, 2, 34
Energy stress, 20
Energy, 1, 17
Energy-dense diet, 116
Environment correlates, 55
Environmental changes, 20
Environmental deterioration, 20
Environmental factors, 5, 29, 44
Environmental influences, 1, 92

Environmental niches, 17
 Epidemic of obesity, 48, 118
 Epidemic, 1
 Epidemiological studies, 7
 Epigenetic inheritance, 50
 Ethnic group, 7, 29, 30, 31, 33
 Ethnic specific, 81
 Ethnicity, 25, 53
 European descent, 31, 33
 European origin, 35
 Excess fatness, 77
 Exercise, 77

F

Fast foods, 92
 Fasting plasma glucose levels, 34
 Fat distribution, 31
 Fat mass, 4, 18
 Fatness, 17, 23, 118
 Fatty foods, 27
 Fatty, salty snacks, 93
 Feast and famine, 17
 Fertility, 18
 Fetal growth retardation, 48
 Fetal growth, 30, 46
 Fetus origins hypothesis, 48
 Fiber intake, 29
 Food and Agriculture organisation, 26
 Food and food products, 43
 Fossil record, 20
 Free child-care, 14

G

Gall bladder disease, 61
 Garment-relevant measurement, 85
 Gastric-partition surgery, 7
 Gastro-intestinal system, 2, 28
 Gene-environment interaction, 108
 Generalised obesity, 2
 Genes and mutations, 5
 Genetic and environmental factors, 43
 Genetic and nutritional factors, 30
 Genetic component, 5
 Genetic factors, 29
 Genetic predisposition, 61
 Genetic susceptibility, 29
 Genetics of obesity, 5
 Gestation, 18
 Gestational age, 71
 Gestational diabetes, 36
 Globesity, 1
 Glycemic index, 116
 Gout, 5
 Greater muscle mass, 88
 Growth retardation, 43, 57
 Gynaecological disorders, 67

H

Health care, 1, 55, 91, 93
 Health education, 99
 Health problems, 5
 Health, 19

Healthy eating habits, 7, 13
 Height-weight system, 3
 Hepatic abnormalities, 45
 Hierarchical order, 55
 High density lipoprotein
 High energy dense foods, 111
 High socio-economic population, 114
 High-fat diets, 91
 High-risk ethnic groups, 35
 Hindu caste system, 111
 Hispanic ethnicity, 31
 HIV/AIDS, 91, 92, 93
 Hominid evolution, 18, 20
 Hominid energetics, 17
 Hominids, 17
 Hormonal/endocrine regulation, 85
 Human evolution, 17
 Human gene pool, 19
 Human growth and development, 53
 Human obesity gene map, 5
 Human obesity phenotypes, 5
 Human-made-environment, 48
 Hunter-gathering, 18
 Hydrodensitometry, 33
 Hypercholesterolemia, 29, 33
 Hyperlipidemia, 34
 Hypertension, 3, 5, 29, 43, 46, 48, 77, 91, 97, 101, 102, 107
 Hypoglycemic agents, 36

I

Immigrants, 30
 Immigration, 25
 Imported foods, 26
 Indian Asians, 3
 Industrialisation, 92
 Industrialised nations, 23, 24
 Infant mortality, 115
 Infant mortality rate, 53
 Infectious disease, 1, 43, 115
 Inherited factors, 77
 Insulin resistance, 31, 33, 101
 Insulin sensitivity index, 33
 Insulin-mediated glucose disposal, 32
 Insulin-resistant adipocytes, 2
 Inter-ethnic differences, 31
 International Obesity Task Force, 1, 11
 Intraabdominal fat, 88
 Intraabdominal contents, 85, 88
 Intra-abdominal adipose tissue, 2
 Intrauterine malnutrition, 30
 Intrauterine period, 56

K

Kaikalas, 111
 Kamas, 111

L

Lactation, 18
 Lean body mass, 77
 Lean circumferences, 85
 Lean waist circumference, 85
 Leptin, 85

Level of education, 5
 Level of obesity, 29
 Life-style changes, 29
 Life-style factors, 29
 Lipid abnormalities, 104, 106, 107
 Lipid mobilization, 62
 Local environments, 19
 Local health problems, 14
 Locomotion, 17
 Low birth weight, 115
 Low calorie supply, 55
 Low energy density foods, 18
 Low socio-economic population, 114
 Low-density lipoprotein, 101
 Lower body obesity, 2
 Low-income families, 14

M

Major public health, 111
 Malas, 111
 Malnutrition, 19
 Malnourished ecological disasters, 44
 Management of obesity in children, 7
 Management of obesity, 11
 Marital status, 67
 Mass population movements, 44
 Maternal health, 67, 68
 Maternal nutrition, 57
 Maternal undernutrition, 46
 Maturation and growth, 4
 Measles, 45
 Measure of obesity, 3
 Menarche, 19
 Menopause, 11
 Menstrual disorders, 67
 Mental health, 12
 Metabolic defects, 53
 Metabolic disorders, 1
 Metabolic rate, 61
 Metabolic Syndrom, 2
 Metabolism, 2
 Metformin, 35
 Mid-growth spurt, 56
 Migrant populations, 31
 Migrant, 24, 29
 Migration, 23, 101
 Modern energy rich environment, 20
 Modernisation, 56
 Monounsaturated fats, 34
 Morbidity, 11, 33, 45, 58, 67, 77, 91, 97, 115
 Mortality, 5, 11, 19, 29, 33, 45, 58, 77, 97, 115
 Muscular people, 3

N

National community-led programme, 11
 Natural disasters, 25
 Natural selection, 85
 Neighbourhood Renewal Strategy, 12
 New foods, 23
 Non-active leisure pursuits, 7
 Noncommunicable conditions, 91
 Non-communicable diseases, 92, 93, 111, 115, 117
 Non-insulin dependent, 5
 Non-migrants, 24

Nutritional and energetic resources, 43
 Nutritional status, 44
 Nutrition transition, 118
 Nutrition, 5, 11, 18, 44, 77
 Nutritional and disease environments, 43
 Nutritional disorder, 77
 Nutritional status, 20, 47, 67, 115, 116,
 Nutritional transition, 58

O

Obesity co-morbidities, 7
 Obesity epidemic, 85, 88
 Obesity, 1, 17, 23, 27, 30, 32, 45, 53, 58, 61, 67, 77,
 85, 91, 93, 97, 99, 101, 106, 107, 111
 Obesogenic environment, 20
 Obesogenic life style, 29
 Obligatory energy requirements, 20
 Occupational status, 67
 Orthopaedic disorders of the hips and knees, 53
 Orthopaedic problems, 61
 Osteoarthritis, 5, 11, 97
 Osteoporosis, 43
 Outmigration, 25
 Over-nutrition, 43, 44, 53
 Overweight, 1, 3, 4, 85, 92, 111, 112, 114, 115

P

Pacific Islander population, 23
 Pacific Islanders, 3
 Parsi community, 101
 Pathogenetic role, 29
 Perceived health, 12
 Peripheral and hepatic insulin resistance, 53
 Peritoneum, blood vessels, 88
 Pharmacological intervention, 35
 Pharmacological treatment, 6
 Pharmacotherapy, 6
 Physical activity, 6, 13, 23, 30, 35, 53, 61, 62, 91, 93,
 101, 111, 115, 117, 118
 Physical and mental health, 11
 Physical education curriculum, 14
 Physical exercise, 11
 Physical growth and development, 85
 Physical growth, 43, 62
 Physical inactivity, 61, 118
 Plasma cholesterol, 53
 Plasma insulin concentration, 30
 Plasma insulin levels, 34
 Plasma triglyceride levels, 34
 Plastic adaptation, 48
 Pneumonia, 45
 Polycystic ovary syndrome, 67
 Polymorphism, 33
 Ponderal index, 46
 Poor dietary choices, 61
 Poverty-related diseases, 91
 Pregnancy hypertension, 67
 Premature mortality, 93
 Pre-natal care, 30
 Prevention of chronic diseases, 11
 Preventive programme, 11
 Primary producing countries, 54
 Primate species, 17

Psychological burden, 77
 Psychological development, 45
 Public health epidemic, 1
 Public health problem, 23, 77
 Public health, 13

R

Reduced birth size, 30
 Rehabilitation, 118
 Reproduction, 17
 Reproductive age, 67
 Respiratory disease, 45
 Risk of morbidity and mortality, 3
 Robusticity, 88

S

Sanitation, 85
 Saturated fats, 11
 School-based healthy eating intervention, 13
 Secular increase, 17
 Sedentary behaviour, 7
 Sedentary life, 117
 Sedentary lifestyle, 1, 48, 85
 Sedentary population, 117
 Serum cholesterol level, 99
 Skeletal muscle, 32
 Skinfold thickness, 33, 62, 85
 Skinfolde measurements, 33
 Sleep apnea, 61
 Social and psychological problems, 61
 Social inequality, 20
 Social isolation, 53
 Social status, 20
 Socio-cultural factors, 5, 77, 97
 Socio-demographic profile, 78
 Socio-economic condition, 43
 Socio-economic factors, 30
 Socio-economic indicator, 93
 Socio-economic status, 30, 53
 Soft tissue, 20
 South African women, 67
 South Asians, 29, 30, 107
 Stable environments, 17
 Stress, 5, 77
 Stroke, 11
 Stunted children, 7
 Subcutaneous fatness, 77
 Sudra varna, 111
 Sympathetic nervous system, 62

T

Theiazoliendiones, 36

Thin-fat phenotype, 47
 Third world, 54
 Thrifty genotype, 56
 Thrifty phenotype, 46
 Total body fat content, 3
 Total body fat, 4, 33
 Total fertility rates, 23
 Toxic environment, 61
 Traditional birth attender, 55
 Traditional diet, 30, 92
 Tribal and rural communities, 111
 Triglyceride, 2, 32, 97, 101, 102
 Tropical forest, 17
 Truncal obesity, 101
 Type 2 diabetes, 3, 11, 33

U

Undernutrition, 1, 43, 44, 46, 53, 111
 Underweight, 44, 112
 Unhealthy food, 93
 Universal anthropometric standards, 47
 Urbanization, 29
 Unsafe environments, 12
 Upper body obesity, 2
 Upward mobility, 92
 Urban residence, 23
 Urbanisation, 43, 45, 48, 91, 92,

V

Vertebrates, 17
 Visceral obesity, 2
 Vitamin B-12, 33

W

Waist circumference, 4, 85
 Waist-hip-ratio, 78, 85, 102, 112, 113
 Weight control, 35
 Weight gain, 67
 Weight loss treatments, 7
 Weight management programme, 6
 Weight management strategies, 6
 Weight-for-age, 57
 Weight-for-height indices, 2
 Weight-for-height, 55, 57
 Weight-related disease, 6
 Weight-related disorders, 6
 Western diet, 115
 Western life style, 19, 29, 31, 92
 Westernisation, 29, 56
 Westernised diet, 92
 Westernized societies, 29
 White adipose tissue, 1