

# Index

|                                   |               |                                      |             |                                       |                 |
|-----------------------------------|---------------|--------------------------------------|-------------|---------------------------------------|-----------------|
| <b>A</b>                          |               | Breastfeeding                        | 39, 151     | Diet-related non-communicable disease | 102             |
| Abnormal growth                   | 150           | Breastmilk                           | 44          | Disease prevention                    | 95              |
| Absence of hunger                 | 103           | Buddhists                            | 7, 16       | Diseases                              | 151             |
| Absorption                        | 2, 107        | β-carotene                           | 84          | Disordered eating                     | 135             |
| Acute and chronic disorders       | 1             | <b>C</b>                             |             | Dual-energy x-ray absorptiometry      | 21              |
| Adaptability model                | 52, 54        | Cancer mortality rates               | 95          | Dynamic bacterial community           | 1               |
| Adaptation                        | 42, 49, 51    | Cancer                               | 7, 49       | <b>E</b>                              |                 |
| Adaptive process                  | 45            | Cardiovascular chronic stroke        | 7           | Ecological and social environment     | 41              |
| Adaptive systems theory           | 57            | Cardiovascular disease               | 49, 89, 95, | Ecological environment                | 42, 45          |
| Adolescent contraceptive use      | 17            | Catholic church                      | 8           | Economic class                        | 28              |
| Adventists                        | 7, 11         | Caste groups                         | 79          | Economic condition                    | 28              |
| Ageing process                    | 153, 156, 157 | Catholic omnivores                   | 14          | Economic position                     | 30              |
| Aging                             | 22            | Catholics                            | 7, 16       | Education                             | 30              |
| Agrarian societies                | 55            | Caucasian population                 | 136         | Elderly individuals                   | 155             |
| Aids                              | 27            | Cellular health status               | 21          | Endemic disease                       | 55              |
| Allopathic system                 | 33            | Cellular suffering                   | 23          | Enemy tribes                          | 43              |
| Anaemia                           | 27, 107, 113  | Cerebrovascular diseases             | 16          | Energy balance                        | 23              |
| Antenatal care                    | 30, 139       | Child growth                         | 145         | Energy                                | 11              |
| Anthropometry                     | 23, 71        | Child health and survival            | 72          | Environmental variability             | 40              |
| Anthropometric characteristic     | 156           | Child mortality                      | 27          | Environment                           | 40, 51, 92, 103 |
| Anthropometric status             | 49            | Child stunting                       | 145         | Environmental conditions              | 55              |
| Anthropometry dietary intakes     | 50            | Child-family-environment             | 162         | Environmental factors                 | 50, 117         |
| Anticarcinogenic effects          | 3             | Childhood growth                     | 139         | Epidemic                              | 65, 101         |
| Apartheid era                     | 89            | Childhood obesity                    | 65          | Epidemiological studies               | 7, 23           |
| Artificial isolation              | 43            | Childhood                            | 71          | Ethnic groups                         | 24, 156         |
| Ayurveda                          | 34            | Christians                           | 7           | Ethnicities                           | 17, 136         |
| Ayurvedic text                    | 44            | Chronic degenerative diseases        | 14          | Evolution heritage                    | 43              |
| <b>B</b>                          |               | Chronic diseases                     | 11, 97      | Evolutionary heritage                 | 42              |
| Bacteria                          | 1             | Chronological age                    | 145         | External environment                  | 40              |
| Bad milk                          | 44            | Circulatory disease                  | 16          | <b>F</b>                              |                 |
| Behavioural variability           | 46            | Circumference and skinfolds measures | 154         | Fast-food industry                    | 65              |
| Beneficial adaptation             | 45            | Cognitive development                | 139         | Fat mass                              | 21              |
| Beneficial bacteria               | 1             | Colostrum                            | 39          | Fecundity                             | 57              |
| Binge-eating disorder             | 135           | Community health insurance schemes   | 37          | Fermented dairy products              | 1               |
| Bioavailable iron                 | 114           | Community health workers             | 89          | Fertility                             | 57              |
| Bioavailability of iron           | 107           | Contraception                        | 42          | Fertility rates                       | 42              |
| Biochemical markers               | 50            | Coronary artery disease              | 117, 123    | Fibrous or connective tissue          | 156             |
| Biological norm                   | 45            | Coronary heart disease               | 95          | Fish oil                              | 96              |
| Biological problems               | 153           | Croatian children                    | 129         | Food behaviours                       | 89              |
| Biomarkers                        | 4             | Cultural ecology                     | 108         | Food components                       | 1, 118          |
| Biopower                          | 44, 45        | Cultural factors                     | 39          | Food consumption                      | 90              |
| Biosocial factors                 | 27            | Cultural symbol                      | 92          | Food expenditure                      | 34              |
| Birth weight                      | 139, 140      | <b>D</b>                             |             | Food in relation to health            | 91              |
| Blank vessels                     | 45            | Darwinian fitness                    | 57          | Food industry                         | 4               |
| Blood lipid profile               | 14            | Dependency ratio                     | 35          | Food ingredients                      | 4               |
| Blood lipids                      | 7, 11         | Depression                           | 103         | Food products                         | 1               |
| Blood pressure                    | 77            | Developed countries                  | 65, 80      | Food source                           | 1               |
| Blood transfusions                | 17            | Developing countries                 | 49, 52, 80  | Food-rich environment                 | 42              |
| Body compartments                 | 22            | Developing functional food           | 4           | Formula-milks                         | 45              |
| Body composition                  | 21            | Developmental plasticity             | 52          | Function of environment               | 52              |
| Body fat mass                     | 51            | Diabetes mellitus                    | 7, 49       | Functional adaptation                 | 52              |
| Body mass index                   | 23, 51, 65    | Diabetes                             | 11          | Functional impairment                 | 107             |
| Body weight                       | 8, 11, 21, 51 | Diary products                       | 8           | <b>G</b>                              |                 |
| Bone mineral content              | 24            | Diastolic blood pressure             | 77          | Gastric cancer                        | 117             |
| Bone minerals                     | 156           | Diet composition                     | 102         | Gender-based food                     | 114             |
| Bottle-feeding                    | 2             | Dietary components                   | 2           | Genes and environment                 | 40              |
| Bowel habit                       | 117           | Dietary fibres                       | 4           | Genetic and environmental factors     | 49              |
| Breast and stomach cancer         | 123           | Dietary habits                       | 131         | Genetic and/or environment variations | 52              |
| Breast cancer                     | 45            | Dietary intake patterns              | 127         |                                       |                 |
| Breastfeeding duration            | 41            | Dietary protective factors and risks | 123         |                                       |                 |
| Breastfeeding in social behaviour |               |                                      |             |                                       |                 |

- Genetic potential for growth 52  
 Genetic/biological make-up 58  
 Genome and environment 58  
 Gestational age 139  
 Growth and development 49  
 Growth rate 50  
 Growth reduction 49  
 Growth retardation 50  
 Growth 49
- H**
- Haemoglobin level 27, 31  
 Haemoglobinopathies 27, 28, 107  
 Hard foods 112  
 Health and nutrition 83  
 Health awareness 142  
 Health care 7, 34  
 Health inequity 55  
 Health insurance schemes 33  
 Health problem 37, 50, 65, 71, 113  
 Health promotion 142  
 Health status 27  
 Health 71  
 Healthcare systems 68  
 Healthful nutrition 14  
 Health-promoting effects 1  
 Healthy behaviours 18  
 Healthy dietary habit 128  
 Hematocrit 107  
 Hematological tests 107  
 Hemoglobin concentration 107  
 Hemolysis 107  
 Herding and watering animals 112  
 High density lipoprotein 95  
 High-altitude hypoxia 52  
 High-altitude 77  
 High-income countries 52  
 Hindus 8  
 HIV/AIDS 150  
 Home environment 162  
 Homeopaths 34  
 Homeopathy 34  
 Hookworm infection 113  
 Hormone of love 41  
 Human adaptability model 52  
 Human behaviour 40  
 Human cultures 101  
 Human genetic diversity 58  
 Human health 1  
 Human infant nutrition 42  
 Human infant 39  
 Human large intestine 1  
 Human physiology and psychology 41  
 Human-made environment 52, 54  
 Hunter-gatherer societies 41  
 Hypertension 11, 77, 81  
 Hypertension and stroke 49  
 Hypertensive diseases 16
- I**
- Illness 33  
 Immigrants 117  
 Immune system 39
- Immunomodulating effects 3  
 Impaired learning and school performance 107  
 Indoor home environment 159  
 Indoor sports 159  
 Industrial societies 44  
 Infant feeding patterns 46  
 Infant feeding 39  
 Infant mortality 139  
 Infant nutrition 39, 44  
 Infant 39  
 Infections 50  
 Inflammatory disease 96, 98  
 Inflammatory profile 98  
 Intake of energy 131  
 Inter-birth interval 42  
 Inter-personal crime 159  
 Intestinal microflora 1  
 Intracellular water 21  
 Intrauterine growth 27  
 Iron deficiency 27, 107, 112  
 Iron nutrition 113  
 Iron-rich foods 112  
 Ischemic heart disease 11, 95
- J**
- Jehovah's witness 7  
 Jews 7
- L**
- Lactation ammenorrhoea 42, 45  
 Lactation 40  
 Lacto-ovo vegetarian diet 7  
 Linear measurements 50  
 Linguistic group 28  
 Lipid metabolism 3  
 Lipids and lipoprotein metabolism 11  
 Lipids 8  
 Local environment 42  
 Loneliness 103  
 Long-term health 39  
 Low birth weight 27, 139, 150
- M**
- Macro and micronutrients 131  
 Maladaptive 42  
 Malaria 28, 113, 150  
 Malnutrition 27, 49, 50, 150, 151  
 Malnutrition-urban children 65  
 Maternal age 141  
 Maternal anaemia 27  
 Maternal behaviour 40  
 Maternal diet 43  
 Maternal health problems 27  
 Maternal hemoglobin level 139  
 Maternal nutrition 44, 139  
 Maternal workload 41  
 Matrilineal 83  
 Medical model 46, 52  
 Mediterranean diet 95  
 Meghalaya 28  
 Mental and physical illness 17
- Mental health 7, 17  
 Metabolic and physiological variables 156  
 Microbiota 1  
 Migrations 132  
 Milk kinship 43  
 Mineral mass 21  
 Moderate intensity activity 161  
 Modulate blood lipids 4  
 Monounsaturated fatty acids 95  
 Morbidity 27, 34, 139  
 Mormons 7, 16  
 Mortality 7, 16, 96, 139  
 Mortality morbidity 153  
 Mother-baby pairs 139  
 Mother-infant suckling interactions 39  
 Mother-offspring behaviour 42  
 Motivation for eating scale 102  
 Multicompartment models 23  
 Multidisciplinary research 33  
 Multi-genetic factors 55  
 Muslims 7
- N**
- National groups 7  
 Nativity fast 8  
 Natural habitat 1  
 Natural selection adaptation 49  
 Natural selection 39, 41, 56  
 Neonatal deaths 139  
 Neurological impairment 139  
 Non-breastmilk foods 39  
 Non-communicable disease 89  
 Non-genetic information 40  
 Non-hunger 103  
 Non-physical eating 103  
 Non-smokers 7  
 Nourishment 7  
 Nutrient deficiencies 107  
 Nutrient 49, 95, 113, 118  
 Nutrition 1, 50, 145  
 Nutrition course 135  
 Nutrition status 71  
 Nutritional anaemia 27  
 Nutritional disorder 27  
 Nutritional indices 34  
 Nutritional problems 24  
 Nutritional status 21, 28, 34, 42, 50, 56, 71, 77, 109, 145, 151, 153, 156  
 Nutrition transitions 101  
 Nutrition condition 71
- O**
- Obese 92, 145  
 Obesity 7, 11, 50, 52, 65, 89, 101, 127, 159  
 Offspring's diet 40  
 Oligosaccharides 1  
 Olive oil 8, 95  
 Ontogenetic development 41  
 Optimal nutrition 45

|                                      |                  |                                   |                            |                     |
|--------------------------------------|------------------|-----------------------------------|----------------------------|---------------------|
| Orthodox Christian Church            | 8, 17            | <b>R</b>                          | Suckling patterns          | 42                  |
| Orthodox Christian nun's diet        | 14               |                                   | Symbolic act               | 92                  |
| Orthodox Christians                  | 14               | Races                             | Systolic blood pressure    | 77                  |
| Orthodox                             | 7                | Ramadan                           |                            |                     |
| Osmotic factors                      | 23               | Rank societies                    | <b>T</b>                   |                     |
| Osteoporosis                         | 49               | Refugee population                |                            |                     |
| Over-nutrition                       | 50, 65, 101, 102 | Reheumatoid arthritis             | Tribal community           | 83                  |
| Overweight and obesity               | 89               | Relationship of food to body size | Tibeto-Burman              | 28                  |
| Overweight category                  | 80               | Religion and health               | Tobacco consumption        | 30                  |
| Overweight                           | 65, 69           | Religion                          | Total body water           | 21                  |
| <b>P</b>                             |                  | Religiosity spirituality          | Traditional food           | 92                  |
| Parasitic infection                  | 107              | Religious dietary restrictions    | Traditional cretan diet    | 95                  |
| Parent -offspring energy             | 41               | Religious diteray practices       | Traditional medical system | 33                  |
| Perinatal mortality                  | 139              | Religious groups                  | Traffic- free environment  | 160, 162            |
| Periods of gestation and lactation   | 43               | Reproductive waste                | Tribes                     | 83                  |
| Phenotypic plasticity                | 59               | Reproductive habits               | Tuberculosis               | 16                  |
| Physical activity                    | 159, 161         | Retarded growth in high altitude  | Type 2 diabetes mellitus   | 89                  |
| Physical development                 | 39, 52           | Ritual behaviour                  |                            |                     |
| Physical measurement                 | 50               | <b>S</b>                          | <b>U</b>                   |                     |
| Physically active                    | 159              | Sarcopenic obesity                | Unani                      | 34                  |
| Physically and mentally healthy      | 16               | Saturated fats                    | Unconventional foods       | 87                  |
| Plastic adaptation                   | 52               | School aged children              | Undernutrition             | 49, 65, 67, 71, 102 |
| Pneumonia                            | 151              | Secular trend                     | Underweight                | 69, 145, 150        |
| Political and social instability     | 150              | Seventh-day                       | Urban livelihood study     | 33                  |
| Polysaccharides                      | 1                | Sickle cell thalassemia           | Urban slum population      | 33                  |
| Polyunsaturated fats                 | 117              | Skeletal mass                     | Urbanisation               | 89                  |
| Population variation                 | 27               | Skeletal tissues                  | Urinary salt concentration | 117                 |
| Population's health                  | 51               | Slum households                   | Urinary schistosomiasis    | 110                 |
| Post-partum amenorrhoea              | 41               | Slum population                   | <b>V</b>                   |                     |
| Post-partum                          | 39               | Small body size                   |                            |                     |
| Poverty                              | 152              | Social and biological factors     | Values attached to food    | 90, 91              |
| Prebiotics                           | 1                | Social classes                    | Vegetarianism              | 18                  |
| Pregnancy                            | 27, 31           | Social environments               | Viruses                    | 1                   |
| Pregnant women                       | 85               | Social meaning of food            | <b>W</b>                   |                     |
| Pre-pregnancy weight                 | 28               | Social rank                       |                            |                     |
| Pre-term delivery                    | 27               | Social stratification             | Weaning                    | 42                  |
| Preventative care services           | 17               | Social support                    | Welfare                    | 1                   |
| Primate infant nutrition             | 41               | Soci-economic group               | Wet-nursing                | 44                  |
| Primate lactation                    | 42               | Sociodemographic factors          | Worm infestation           | 28                  |
| Primate nutrition mother             | 42               | Socio-cultural factors            |                            |                     |
| Primate                              | 40               | Socioeconomic conditions          | <b>Y</b>                   |                     |
| Professional qualification           | 28               | Socioeconomic factors             |                            |                     |
| Protestants                          | 7                | Socioeconomic status              | Yeasts                     | 1                   |
| Protozoa                             | 1                | Socio-environments                | <b>Z</b>                   |                     |
| Public health and economic wellbeing | 54               | Soft foods                        |                            |                     |
| Public health problem                | 27, 139          | Spirit                            | Zen                        | 16                  |
| Public health                        | 104              | Spirituality                      | Z-scores                   | 50                  |
|                                      |                  | Status of health                  |                            |                     |
|                                      |                  | Stratified societies              |                            |                     |
|                                      |                  | Suckling                          |                            |                     |